



IMPFUNGEN	Säuglinge			Kleinkinder			Kinder			Jugendliche						
	1,5 Mo.	2 Mo.	3 Mo.	4 Mo.	5 - 10 Mo.	11 Mo. <sup>1</sup>	12 Mo.	13 - 14 Mo.	15 Mo.	16 - 23 Mo.	2 - 4 J.	5 - 6 J.	7 - 8 J.	9 - 14 J.	15 - 16 J.	17 J.
Tetanus, Diphtherie <sup>2</sup>		G1	N	G2	N	G3		N				A1	N	A2		N
Pertussis <sup>2</sup>		Sechsfach-Impfung	N	Sechsfach-Impfung	N	Sechsfach-Impfung		N				A1		A2		
Poliomyelitis <sup>2</sup>			N		N			N				N		A1		N
Hib (Haemophilus influenzae Typ b) <sup>2</sup>			N		N			N								
Hepatitis B <sup>2</sup>		Sechsfach-Impfung	N	Sechsfach-Impfung	N	Sechsfach-Impfung		N				N				
Pneumokokken <sup>3</sup>		G1	N	G2	N	G3		N								
Rotaviren <sup>4</sup>	G1	G2	(G3)													
Meningokokken (Serotyp C)							G		N							
Masern, Mumps, Röteln (MMR) <sup>5</sup>						G1		N	G2	N						
Varizellen (V)																
Influenza																
HPV (Humane Papillomaviren) <sup>6</sup>														G1 + G2	N	

Quelle: Epidemiologisches Bulletin des Robert-Koch-Institutes (RKI) Nr. 34/2020